



eni Rubus Contact 2

eni Rubus Contact 2 is a "food grade" high performance transparent, odourless and colourless grease, formulated with pharmaceutical white oil and silica gel as a thickener. It is registered in the category **NSF 3H** as a release agent for grills, trays of bakery products, sweets and pasta and for other surfaces in direct contact with meat and food to prevent food from adhering during processing.

CHARACTERISTICS (TYPICAL VALUES)

eni Rubus Contact 2

NLGI Consistency	-	2
Appearance/Colour	-	Smooth translucent/ Odourless colourless
Type of base	-	White oil "European Pharmacopee" - FDA
Viscosity base oil at 40°C	mm ² /s	100
Thickener	-	Silica gel
Worked penetration at 25 °C	1/10mm	265/295
Dropping point	°C	None
Water Washout	%	<3
Temperature range	°C	-20/+120

PROPRIETA' E PRESTAZIONI

eni Rubus Contact 2 is **NSF 3H approved** and **registered** grease recommended for use as a release agent in direct contact with food.

The use of NSF H1 and NSF 3H registered greases is the most effective solution to meet the request of the **HACCP** (Hazard Analysis and Critical Control Point) System.

eni Rubus Contact 2 is formulated exclusively with additives listed in the **FDA Group 21 CFR Part 172, session 172.878** and it is free of:

- genetically modified materials;
- main allergens substances like nut oil, soya oil, dairy industry derivatives;
- animal derived materials.

eni Rubus Contact 2 has the following properties and characteristics:

- good adhesiveness;
- good shock resistance;
- insoluble in water;
- transparent, odorless and colourless.

eni Rubus Contact 2 is compatible with the elastomers normally used in food machinery lubrication systems.



eni Rubus Contact 2

APPLICATIONS

eni Rubus Contact 2 is recommended as a release agent (NSF 3H) for grills, trays of bakery products, sweets and pasta and for other surfaces in direct contact with meat and food in order to facilitate detachment during the machining process.

Suitable for the lubrication of knives and cutting boards for fruits, vegetables, poultry and meat.

eni Rubus Contact 2 is suitable for the lubrication of bearings and components operating in wet environments, but not in direct contact with water, such as in the lines of washing fruits and vegetables, in the bottling of mineral water, drinks, beer and wine.

eni Rubus Contact 2 is indicated for the lubrication of suspended chains, conveyor belts not heavily loaded and where NSF 3H grease is required.

Indicated for applications in pharmaceutical, paramedical and pet food industries.

SPECIFICATIONS AND APPROVALS

eni Rubus Contact 2 is **NSF 3H** registered and the package reports the NSF symbol and registration number: 151488

eni Rubus Contact 2 is "Kosher", "Halal" certified.

eni Rubus Contact 2 grease meets the requirements of the following classifications:

- ISO 6743/9 L-XBCDA 2
- DIN 51502 K2K-20

eni Rubus Contact 2 is produced in a plant certified **ISO 21469**.

NOTE

All "food grade" lubricants should be stored from other lubricants, chemical substances and foodstuffs and out of direct sunlight or other heat sources. Store between 0°C and +40°C.