

# Eni i-Sint tech M 5W-30



## APPLICATIONS

**Eni i-Sint tech M 5W-30** is a synthetic technology lubricant developed for Mazda passenger cars.

According to its performance levels, **Eni i-Sint tech M 5W-30** can be used in JLR (Jaguar Land Rover) vehicles too.

## CUSTOMER ADVANTAGES

- The high fluidity ensures excellent cold start even at very low temperatures and actively contribute to fuel economy with a simultaneous reduction of carbon dioxide (CO<sub>2</sub>) emissions.
- The presence of components with low volatility and high thermal stability helps to limit the effects of oil consumption.
- Its raw materials have been selected to offer excellent protection against wear and deposit formation.

## SPECIFICATIONS & APPROVALS

- ACEA C1,C2
- JLR.03.5005
- FORD 934-B



# Eni i-Sint tech M 5W-30



## CHARACTERISTICS

Properties	Method	Unit of Measure	Typical
Density at 15°C	ASTM D 4052	kg/m <sup>3</sup>	850
Viscosity at 100°C	ASTM D 445	mm <sup>2</sup> /s	11.2
Viscosity at 40°C	ASTM D 445	mm <sup>2</sup> /s	67.2
Viscosity Index	ASTM D 2270	-	160
Viscosity at -30°C	ASTM D 5293	mPa·s	6400
Flash point (COC)	ASTM D 92	°C	210
Pour point	ASTM D 97	°C	-33

